

INSTRUMENTS PARTS CATALOGUE

Piston Valve Instruments

Alto Horns



F/Eb Alto Horn AAH 212A


AMATI F/Eb Alto Horn AAH 212A

***3 valves, bore 11.7mm, bell 190mm,
upright model, tuning slide water key, additional
Eb slide, lacquer, plastic case # 6630.***

Last Update January 2004

www.amati-denak.cz

AAH 212A



Parts For AMATI F/Eb Alto Horn AAH 212A.

| List # | Part # | Description | Note |
|--------|-----------------|--|---|
| 1 | OZV 212AH L | Bell, engraved with the 'Amati Kraslice' Logo. | |
| 2 | DH 252 L | Branch I (Bottom Bend). | |
| | DH 252 KL | Branch I complete with Bottom Bend Guard. | |
| 3 | DH 076 L | Branch II. | |
| 4 | DH 055 L | Bottom Bend Guard. | |
| 5 | X 123 | Bottom Cap, lacquer. | |
| 6 | P 380 | Valve Spring. | |
| 7 | M 211AH 1K | 1st Valve with Valve Guide. | |
| | M 211AH 2K | 2nd Valve with Valve Guide. | |
| | M 211AH 3K | 3rd Valve with Valve Guide. | |
| 8 | Z 1220 | Valve Guide. | |
| 9 | KOREK M 13*30*6 | Valve Stem Cork. | |
| 10 | G 004BE | Valve Stem Felt, Blue. | |
| 11 | X 129 | Top Cap, lacquer. | |
| 12 | G 007BE | Top Cap Felt, Blue. | |
| 13 | X 121 K | Finger Button complete with Pearl, lacquer. | |
| 14 | PERLET 13 | Pearl Inlay. | |
| 15 | S 498 L | Waterkey Nipple. | |
| 16 | P 372 L | Waterkey Saddle. | |
| 17 | P 312 | Waterkey Spring. | |
| 18 | KOREK VK 4*8.5 | Waterkey Cork. | |
| 19 | S 063 | Waterkey Screw, lacquer. | |
| 20 | VKM 043 | Waterkey Lever, lacquer. | |
| ** | VKM 043 K | Waterkey Assy. complete (List # 17-20), lacquer. | |
| 21 | SN 212AH 1K | 1st Slide complete, lacquer. | <i>Outer Tubing to be ordered separately.</i> |
| 22 | SN 212AH 2K | 2nd Slide complete, lacquer. | <i>Outer Tubing to be ordered separately.</i> |
| 23 | SN 212AH 3K | 3rd Slide complete, lacquer. | <i>Outer Tubing to be ordered separately.</i> |
| 24 | LS 212AH K | F Tuning Slide complete, lacquer. | <i>Outer Tubing to be ordered separately.</i> |
| | LS 212AH AK | Eb Tuning Slide complete, lacquer. | |
| 25 | O 092 L | 3rd Slide Bow. | |
| | | 1st Slide Bow. | |
| 26 | O 007 L | 2nd Slide Bow. | |
| 27 | OH 04 L | Tuning Slide Bow (same for both F and/or Eb Tuning Slide). | |
| 28 | O 010 L | Eb Tuning Slide Bow small (1 of 2pcs). | |
| 29 | S 004 L | 2nd Slide Bow Knob. | |
| 30 | U 211AH L | Mouthpiece Receiver, engraved with Model Number. | <i>For 10.2mm Mouthpiece Shank Diameter.</i> |
| 31 | DH 179 L | Mouthpipe. | |
| | ESO 212AH L | Mouthpipe complete with Mouthpiece Receiver. | |
| 32 | D 047 L | Connecting Tube, Tuning Slide - to - 3rd Valve Casing. | |
| 33 | H 112 L | Connecting Ferrule. | |
| 34 | H 121 L | Connecting Ferrule, Mouthpipe - to - 1st Valve Casing. | |
| 35 | S 040 | Cardholder Screw, lacquer. | |
| 36 | T 029 L | Cardholder Socket with Plate. | |
| 37 | H 045 L | Thumb Ring with Plate. | |
| 38 | F 019/1 L | Brace, Mouthpipe - to - Bell. | |
| 39 | PS 211AH L | Valve Casing Assy. without Slides and Thumb Ring. | <i>Valves to be ordered separately.</i> |
| | SP 212AH L | Valve Casing Assy. complete with Slides and Thumb Ring. | <i>Valves to be ordered separately.</i> |
| 40 | A AX 0360D MM L | Brace with Plates, 3rd Slide - to - 1st Slide. | <i>Brace Length to be specified.</i> |
| 41 | A AX 0350D MM L | Brace with Plates, Bell - to - 1st Slide. | <i>Brace Length to be specified.</i> |
| 42 | A AX 0270D MM L | Brace with Plates, Bell - to - Tuning Slide. | <i>Brace Length to be specified.</i> |
| 43 | A AX 0080B MM L | Brace with Plates, Branch II - to - Connecting Ferrule. | <i>Brace Length to be specified.</i> |
| 44 | A AX 0310D MM L | Brace with Plates, Branch II - to - 3rd Slide. | <i>Brace Length to be specified.</i> |
| 45 | A AX 0300D MM L | Brace with Plates, Branch II - to - Tuning Slide. | <i>Brace Length to be specified.</i> |
| 46 | A AX 0100D MM L | Brace with Plates, 3rd Slide - to - Tuning Slide. | <i>Brace Length to be specified.</i> |
| 47 | A AX 0010B MM L | Brace with Plates, small one for Eb Tuning Slide. | <i>Brace Length to be specified.</i> |
| 48 | A AX 0360D MM L | Brace with Plates, large one for Eb Tuning Slide. | <i>Brace Length to be specified.</i> |
| 49 | STSK 001 L | Connecting Ferrule, Bell - to - Branch I. | |
| 50 | STSK 002 L | Connecting Ferrule, Branch I - to - Branch II. | |

Important:

1/ All metal parts polished and unlacquered, unless otherwise specified. Please specify desired finish, when ordering.

2/ Please indicate the Instrument's Model Number, when ordering.