

Piston Valve Instruments

ients

Euphoniums

Bb Euphonium AEP 333




AMATI Bb Euphonium AEP 333

3 valves, bore 14.2mm (large bore), bell 280mm, upright model, compact construction, tuning slide waterkey, lacquer, plastic case # 6643.

Last Update January2004

www.amati-denak.cz



Parts For AMATI Bb Euphonium AEP 333.

| | | Parts For AMATI Bb Euphonium AE | P 333. |
|-------|----------------------|--|--|
| Ref # | # Part # | Description | Note |
| 1 | OZV 333EP L | Bell, engraved with the 'Amati Kraslice' Logo. | |
| | DH 231 L | Branch I (Bottom Bend). | |
| 2 | DH 231 KL | Branch I complete with Bottom Bend Guard. | |
| 3 | DH 232 L | Branch II. | |
| 4 | DH 059 L | Bottom Bend Guard. | |
| 5 | H 011 L | Connecting Ferrule, Bell - to - Branch I. | |
| 6 | H 012 L | Connecting Ferrule, Branch I - to - Branch II. | |
| | | - | |
| | X 127 | Bottom Cap, lacquer. | |
| 8 | P 382 | Valve Spring. | |
| 9 | M 341EP 1K | 1st Valve with Valve Guide. | |
| | M 341EP 2K | 2nd Valve with Valve Guide. | |
| | M 341EP 3K | 3rd Valve with Valve Guide. | |
| 10 | Z 1220 | Valve Guide. | |
| 11 | KOREK M 15*30*6 | Valve Stem Cork. | |
| 12 | G 004BE | Valve Stem Felt, Blue. | |
| 13 | X 126 | Top Cap, lacquer. | |
| 14 | G 012BE | Top Cap Felt, Blue. | |
| 15 | X 128 K | Finger Button complete with Pearl, lacquer. | |
| 16 | PERLET 17 | Pearl Inlay. | |
| 17 | S 498 L | Waterkey Nipple. | |
| 18 | P 372 L | Waterkey Saddle. | |
| 19 | P 312 | Waterkey Spring. | |
| 20 | KOREK VK 4*8.5 | Waterkey Cork. | |
| 21 | S 063 | Waterkey Screw, lacquer. | |
| 22 | VKM 043 | Waterkey Lever, lacquer. | |
| ** | VKM 043 K | Waterkey Assy. complete (List # 19-22), lacquer. | |
| 23 | SN 333EP 1K | 1st Slide complete, lacquer. | Outer tubing to be ordered separately. |
| 24 | THA 085 M6 L | 1st Slide Outer Tubing (1 of 2pcs). | Outer tubing to be ordered separately. |
| 25 | SN 333EP 2K | 2nd Slide complete, lacquer. | Outer tubing to be ordered separately. |
| 26 | THA 014 M6 L | 2nd Slide Outer Tubing, short. | Outer tubing to be ordered separatery. |
| 27 | THA 014 M6 L | 2nd Slide Outer Tubing, Short. | |
| 28 | SN 333EP 3K | 3rd Slide complete, lacquer. | Outer tubing to be ordered separately. |
| 29 | THA 182 M6 L | 3rd Slide Outer Tubing (1 of 2pcs). | outer tubing to be ordered separatery. |
| 30 | LS 333EP K | Tuning Slide complete, lacquer. | Outer tubing to be ordered separately. |
| 31 | H 026 L | Tuning Slide Outer Tubing, small bore. | Outer tubing to be ordered separately. |
| 32 | H 025 L | Tuning Slide Outer Tubing, small bore. Tuning Slide Outer Tubing, large bore. | |
| | U 333EP L | Mouthpiece Receiver, engraved with Model Number. | For 10.7mm (US) Mouthpiece Shank Dian |
| 33 | DH 260 L | | For 10.711111 (03) Woutilpiece Sharik Dian |
| 34 | ESO 333EP L | Mouthpipe. | |
| 35 | DH 230 L | Mouthpipe complete with Mouthpiece Receiver. Connecting Tube, Tuning Slide - to - 3rd Valve Casing. | |
| 36 | S 040 | | |
| 37 | T 028 L | Cardholder Screw, lacquer. Cardholder Socket with Plate. | |
| | | | |
| 38 | H 008 L | Thumb Ring with Plate. | |
| 39 | A KY 0020B MM70 L | Brace, Mouthpiece Pecaiver - to - Bell | |
| 40 | F 019/2 L | Brace, Mouthpiece Receiver - to - Bell. | Values to be ordered concretely |
| 41 | PS 333EP L | Valve Casing Assy, without Slides and Thumb Ring. | Valves to be ordered separately. |
| -40 | SP 333EP L | Valve Casing Assy. complete with Slides and Thumb Ring. | Valves to be ordered separately. |
| 42 | H 010 L | Connecting Ferrule, Tuning Slide - to - 3rd Valve Casing. | |
| 43 | H 027 L | Connecting Ferrule, Mouthpipe - to - 1st Valve Casing. | |
| 44 | A TX 0205G MM L | 1st Slide Brace with Plates. | |
| 44 | A I A UZUOG IVIIVI L | 3rd Slide Brace with Plates. | |
| 45 | A TX 0060B MM L | 2nd Slide Brace. | Brace length to be specified. |
| 46 | A KY 0020B MM15 L | Brace with Plates, Bell - to - Branch II. | Brace length to be specified. |
| 47 | A KX 0240F MM L | Brace with Plates, Bell - to - 1st Slide. | Brace length to be specified. |
| 48 | A KX 0280F MM L | Brace with Plates, Bell - to - Tuning Slide. | Brace length to be specified. |
| 49 | A KX 0190F MM L | Brace with Plates, Branch II - to - Tuning Slide. | Brace length to be specified. |
| 50 | A KX 0220F MM L | Brace with Plates, Branch II - to - 3rd Slide (upper brace). | Brace length to be specified. |
| 51 | A KX 0210F MM L | Brace with Plates, Branch II - to - 3rd Slide (lower brace). | Brace length to be specified. |
| | | | J , , , , , |

Important:

^{1/} All metal parts polished and unlacquered, unless otherwise specified. Please specify desired finish, when ordering.

^{2/} Please indicate the Instrument's Model Number, when ordering.